

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▾](#)[Sign in](#)[Google](#)[Advanced Search](#)
[Preferences](#)

Web Results 1 - 10 of about **31** for **generalized fish-eye view "search results" "fisheye zooming"**. (0.12 sec)

Did you mean: [generalized ***fisheye*** view "search results" "fisheye zooming"](#)

[Decision Support Systems : Development of a ***fisheye***-based ...](#)

Consequently, the insights gained from the development effort have only limited generalizability as to the success of the ***fisheye zooming***, or in **general** ...
[linkinghub.elsevier.com/retrieve/pii/S0167923603000472](#) - [Similar pages](#)

[Development of a ***fisheye***-based information search processing aid ...](#)

To address this problem, we implement a ***fisheye zooming*** capability in our system. ... the proposed solution based upon a ***fisheye view***-based visualization. ...
[portal.acm.org/citation.cfm?id=1016078](#) - [Similar pages](#)

[WaveLens: A New View onto Internet Search Results](#)

search results. The Dynamic **view** was also faster than the ... Furnas, G. W. **Generalized fisheye** views. Proceedings. of CHI 1986, 16-23. 7. Furnas, G. W. ...
[portal.acm.org/ft_gateway.cfm?id=985784&type=pdf](#) - [Similar pages](#)
[More results from portal.acm.org »](#)

[PDF] [WaveLens: A New View onto Internet Search Results](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Fisheye zooming. In the WaveLens technique, a ***fisheye*** lens is applied **search results**. The Dynamic **view** was also faster than the ...
[research.microsoft.com/~sdumais/wavelens_chi2004_final.pdf](#) - [Similar pages](#)

[Clustering-Based Visual Interfaces for Presentation of Web Search ...](#)

alization with a ***fisheye zooming*** capability in the exploration of Alternatively, the ***fisheye*** visualization of Fig. 4. keeps a **general view** of the ...
[www.springerlink.com/index/U203V71625804350.pdf](#) - [Similar pages](#)

[PDF] [Hypertext paper](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

load caused by long lists of choices, we apply ***fisheye zooming***. differently. ***fisheye view*** with multiple focal points to the content of a web page. ...
[eprints.ecs.soton.ac.uk/8802/01/p152-tsandilasHT03.pdf](#) - [Similar pages](#)

[PDF] [VISUALIZATION SUPPORT FOR MANAGING INFORMATION OVERLOAD IN THE WEB ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

generalized fisheye views with a similar motivation, and suggested that such ... ***fisheye view*** visualizations of web **search results** is VITESSE (Nigay and ...
[www.mis.temple.edu/turetken/home/ICIS2001.pdf](#) - [Similar pages](#)

[Information Visualization - Finding and understanding reusable ...](#)

The ***fisheye view*** can be used to define a degree of interest function over a might be to combine enclosure with spatial (rather than ***fisheye***) **zooming**. ...
[www.palgrave-journals.com/ivs/journal/v5/n1/full/9500114a.html](#) - [Similar pages](#)

[PDF] [Development Of A Fisheye-Based Information Search Processing Aid ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

A majority of distortion-oriented systems are based on Furnas' [12] **fisheye view** approach. Furnas introduced the concept of **generalized fisheye** views based ...
catt.okstate.edu/sharda/dss05_31_2.pdf - [Similar pages](#)

[PDF] [User-Controlled Link Adaptation](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

fisheye zooming differently. In our case, the point of focus is not **fisheye view** with multiple focal points to the content of a web ...
www.ht03.org/papers/pdfs/25.pdf - [Similar pages](#)

Did you mean to search for: generalized **fisheye** view "search results" "fisheye zooming"

[1](#) [2](#) [3](#) **[Next](#)**

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) | [Try Google Experimental](#)

©2008 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

Web Images Maps News Shopping Gmail more ▾

Sign in

Google

"bifocal displays" "search results"

Search

Advanced Search
Preferences

Web

Results 1 - 10 of about 24 for "**bifocal displays**" "**search results**". (0.24 seconds)

A Fisheye Calendar Interface for PDAs: Providing Overviews for ...

Fisheye distortion techniques, initially called **bifocal displays**, an ordered list of **search results**, but instead highlights whichever days match. ...

hcil.cs.umd.edu/trs/2002-09/2002-09.html - 145k - [Cached](#) - [Similar pages](#)

Sponsored Links

Bifocal Reading Glasses

Clear and tinted bifocal readers from \$9.95

www.goodglasses.com

Automatic Generation of Diagrammatic Web Site Maps

thematically related web pages, **search results** appear as. foci of a. table of contents **bifocal displays** to enhance WWW Navigation," presented ...

portal.acm.org/ft_gateway.cfm?id=331078&type=pdf - [Similar pages](#)

Bifocals for only \$ 24.98

Polarized Bifocals & Progressive Photo chromic Transition - sunglass
www.lbweyewear.com

A review and taxonomy of distortion-oriented presentation techniques

... Susan Dumais , Ron Logan, WaveLens: a new view onto Internet **search results**, ... Perspective Wall, **bifocal displays**, distortion-oriented presentation, ...

portal.acm.org/citation.cfm?id=180173&coll=ACM&dl=ACM&ret=1 -

[Similar pages](#)

[More results from portal.acm.org »](#)

Bifocal Stick-Ons

Optx 20/20, Just add a drop of water and you have Bifocals.

www.burfish.com

Systems and Applications

The most widely known examples of distorted displays include **bifocal displays** organizes and displays **search results** in recursively embedded layers of ...

www.springerlink.com/index/q132345148228420.pdf - [Similar pages](#)

OLIVE: Citation List

... he database and **search results**, users can find trends and exceptions easily.

Leung,Y.K., Spence,R. and Apperley,M.D., Applying **bifocal displays** to ...

www.otal.umd.edu/Olive/Cite.html - 53k - [Cached](#) - [Similar pages](#)

[PDF] Microsoft Office Word - TOCHI - DateLens revision

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Fisheye distortion techniques, initially called **bifocal displays**, Rather than ordering **search results**, DateLens only presents highly ranked **search** ...

research.microsoft.com/~marycz/tochidatelens.pdf - [Similar pages](#)

[PDF] Visualisierung von Daten

File Format: PDF/Adobe Acrobat

Thomas Mann in seiner Dissertation „Visualization of **Search Results** from the eine Variante eines eindimensionalen **Bifocal Displays** dar, welches bei ...

hci.uni-konstanz.de/downloads/STAR_Ludwig.pdf - [Similar pages](#)

[PDF] Intelligent Informatics

File Format: PDF/Adobe Acrobat - [View as HTML](#)

THE IEEE. Intelligent. Informatics. BULLETIN. IEEE Computer Society. Technical Committee. June 2005 Vol. 5 No. 1 (ISSN 1727-5997) ...

www.comp.hkbu.edu.hk/~cib/2005/Jun/iib_vol5no1.pdf - [Similar pages](#)

keyword summary

information visualization. 87. data visualisation. 43. Visualization. 38. information retrieval.
22. data visualization. 22. user interfaces ...
iv.slis.indiana.edu/ref/iv04contest/data/keyword_old.htm - 250k - [Cached](#) - [Similar pages](#)

[GZIP] [From Roger.Clarke@anu.edu.au Wed May 1 02:11:15 1996 From: Roger ...](#)

File Format: Gzip Archive

Additionally, **search results** can be received in brief or with > more details. email :
rosener@cs.utk.edu Title : Applying **Bifocal Displays** to Enhance ...
mailman.anu.edu.au/pipermail/link/1996-May.txt.gz - [Similar pages](#)

1 2 **Next**

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) | [Try Google Experimental](#)

©2008 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▾](#)[Sign in](#)

Google

generalized fish-eye view "search results"

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about 3,160 for **generalized fish-eye view "search results"**. (0.19 seconds)Did you mean: **generalized *fisheye* view "search results"****[PDF] Automatic Image Retargeting with Fisheye-View Warping**File Format: PDF/Adobe Acrobat - [View as HTML](#)**General** Terms Algorithm, Human Factors. Keywords: Image retargeting, Image warping, **Fisheye-view**, warping, Saliency map, Focus plus context. 1 INTRODUCTION ...www.cs.wisc.edu/graphics/Papers/Gleicher/fisheye-retarget.pdf - [Similar pages](#)**[PDF] WaveLens: A New View onto Internet Search Results**File Format: PDF/Adobe Acrobat - [View as HTML](#)**search results**. The Dynamic **view** was also faster than the ... Furnas, G. W. **Generalized fisheye** views. Proceedings. of CHI 1986, 16-23. 7. Furnas, G. W. ...research.microsoft.com/~sdumais/wavelens_chi2004_final.pdf - [Similar pages](#)**Automatic image retargeting with fisheye-view warping**Like previous methods, **fish-eye-view** warping uses image information, ... The **generalized** detail-in-context problem. In Proceedings IEEE Symposium on ...portal.acm.org/citation.cfm?id=1095034.1095061 - [Similar pages](#)**Fishnet, a fisheye web browser with search term popouts**Fishnet accomplishes this by using a **fish-eye view**, i.e. by showing a focus region at ... 7Furnas, G. **Generalized Fisheye** Views. Proc. CHI'86, 16-23. ...portal.acm.org/citation.cfm?id=989863.989883 - [Similar pages](#)[More results from portal.acm.org »](#)**Decision Support Systems : Development of a fisheye-based ...**A majority of distortion-oriented systems are based on Furnas' [12] **fish-eye view** approach.Furnas introduced the concept of **generalized fisheye** views based ...linkinghub.elsevier.com/retrieve/pii/S0167923603000472 - [Similar pages](#)**Visual bracketing for web search result visualization ...**2) Information about the actual **search results**, the SRE "**Generalized Fish-eye view**".

In. Proceedings of the SIGCHI conference on Human ...

ieeexplore.ieee.org/iel5/8639/27378/01217989.pdf - [Similar pages](#)**[PDF] Fishnet, a fisheye web browser with search term popouts: a ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)**General** Terms. Design, Human Factors. Keywords. **Fisheye view**, web browser, search terms, ... clip long web pages, which hides all **search results** outside the ...www.patrickbaudisch.com/publications/2004-Baudisch-AVI04-Fishnet.pdf - [Similar pages](#)**Method and apparatus for visualization of database search results ...**Furnas, G. W., "**Generalized Fisheye** Views," CHI '86 Proceedings, ACM, ... The **fish-eye view** can achieve, for example, a logarithmically compressed display of ...www.patentstorm.us/patents/5546529-description.html - 55k - [Cached](#) - [Similar pages](#)**A method and apparatus for visualization of database search ...**The **fish-eye view** can achieve, for example, a logarithmically compressed by which they would like to **view** the **search results** are termed preferences. ...

www.freepatentsonline.com/EP0694829.html - 50k - [Cached](#) - [Similar pages](#)

LNCS 3815 - Concept Expansion Using Semantic Fisheye Views

first described the **fish-eye view** as a technique for selectively reducing Furnas, G., W.,

Generalized Fisheye Views, in Proc. of the SIGCHI Conf. on ...

www.springerlink.com/index/f10638v73g41q567.pdf - [Similar pages](#)

Did you mean to search for: generalized **fish-eye** view "search results"

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) | [Try Google Experimental](#)

©2008 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	73	"707"/.ccls. and ((fish\$1eye bi\$1focal) with (display\$3 interface gui))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 11:15
L2	90	"715"/.ccls. and ((fish\$1eye bi\$1focal) with (display\$3 interface gui))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 11:15
L3	535	((fish\$1eye bi\$1focal) with (display\$3 interface gui))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 11:18
L4	23	((fish\$1eye bi\$1focal) with (display\$3 interface gui)) and (display\$3 with (query search) with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 11:18
L5	9	"715"/.ccls. and ((fish\$1eye bi\$1focal) with (display\$3 interface gui)) and (display\$3 with (query search) with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 11:23
L6	11	((fish\$1eye bi\$1focal)) and (display\$3 with (query search) with result) and ((magnification magnif\$4) with (view display interface gui))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 11:38
L7	1070	((fish\$1eye bi\$1focal poly\$1focal projection distortion)) and ((display\$3 visualiz\$6) with (query search) with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 12:06

EAST Search History

L8	68	((fish\$1eye bi\$1focal poly\$1focal projection distortion)) and ((display\$3 visualiz\$6) with (query search) with result) and (detail with context)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 12:07
L9	2	"20050216859"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 12:50
L10	141458	((fish\$1eye bi\$1focal poly\$1focal projection distortion) with (display view interface gui)) ((display\$3 visualiz\$6) with (query search) with result) and (detail with context) and (local) and global	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 13:52
L13	70	"5546529"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:18
L14	8	"5546529" and vertical\$4 and (fish\$1eye (parallel with project\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:19
L15	4	"5546529" and vertical\$4 and (fish\$1eye (parallel with project\$4)) and (search with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:21
L16	7	"0694829"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:33

EAST Search History

L17	0	"715".ccls. and magnification and hooking	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:37
L18	3	"715"/.ccls. and magnification and hooking	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:37
L19	380	(level with detail) and (search with result) and ((detail focus) with context)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:40
L20	6	(level with detail) and (search with result) and ((detail focus) with context) and fish\$1eye	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:41
L21	0	(level with detail) and (search with result) and ((detail focus) with context) and (fish\$1eye same vertical\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:41
L22	5	((increas\$3 chang\$3 alter\$3) with level with detail) and (search with result) and ((detail focus) with context) and fish\$1eye	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:41
L23	10	semantic with fish\$1eye	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:56

EAST Search History

L24	114	(fish\$1eye with zoom\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 15:00
L25	23	(fish\$1eye with zoom\$3) and ((search query) with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 15:01
L26	19	(fish\$1eye with zoom\$3) and ((search query) with result) and (level with detail)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 15:02
L27	19	(fish\$1eye with zoom\$3) and ((search query) with result) and (level with detail) and (result with (text title list url))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 15:03
L28	11	(fish\$1eye with variable with zoom\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 15:08
L29	5	(fish\$1eye with variable with zoom\$3) and text\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 15:08
L30	6	(fish\$1eye with menu)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 15:25

EAST Search History

L31	13	(fish\$1eye with (interface view display gui lens\$2 panel pane)) and (insert\$4 with text with (interface view display gui lens\$2 panel pane))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 16:12
L32	32	(display\$3 with search with result) and (vary\$4 with level with detail)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 16:52
L33	4	(display\$3 with search with result) and (vary\$4 with level with detail with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 16:53
L34	180	(display\$3 with (search query) with result) and ((vary\$4 chang\$3 alter\$3 increas\$3) with ((level with detail) snippet description)) and zoom\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 16:59
L35	12	(display\$3 with (search query) with result) and ((vary\$4 chang\$3 alter\$3 increas\$3) with ((level with detail) snippet description) with result) and zoom\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 17:00
L36	17	(display\$3 with (search query) with result) and ((vary\$4 chang\$3 alter\$3 increas\$3) with ((level with detail) snippet description) with result) and (zoom\$3 magnification magnif\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 17:00
L37	72	(display\$3 with (search query) with result) and ((vary\$4 chang\$3 alter\$3 increas\$3) with ((level with detail) snippet description) with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 17:06

EAST Search History

L38	9	(display\$3 with (search query) with result) and ((vary\$4 chang\$3 alter\$3 increas\$3) with ((level with detail) snippet description) with result) and ((focus context) with detail) and (level with detail)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 17:09
L39	0	(display\$3 with (search query) with result) and ((increas\$3) with ((detail size amount) with (snippet description text)) with result) and ((focus context) with detail) and (level with detail)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 17:12
L40	11	(display\$3 with (search query) with result) and ((increas\$3) with ((detail size amount) with (snippet description text)) with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 17:12
L41	1	(display\$3 with (search query) with result) and ((increas\$3 adjust\$3 vary\$4) with (detail size amount) with (snippet description text) with (hover\$3 mouse) with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 17:28
L42	15	707/102.ccls. and ((fish\$1eye bi\$1focal) with (display\$3 interface gui view))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 17:32
L43	47	"707"/.ccls. and ((fish\$1eye bi\$1focal) with (display\$3 interface gui)) and (search with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 17:39
S1	7	(display\$3 with search with result with preview with pane)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 16:39

EAST Search History

S2	44	(display\$3 with (search\$3 quer\$4) with result) and (preview with pane) and (result with pane)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 16:45
S3	31	(display\$3 with (search\$3 quer\$4) with result) and ((preview with pane) same (result with pane))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 16:45
S4	9	(display\$3 with (search\$3 quer\$4) with result) and ((preview with pane) same (result with pane)) and microsoft.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 16:46
S5	22	S3 not S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 16:51
S6	2170	((user adj interface) gui) with ((search query) adj results)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 17:04
S7	12	((user adj interface) gui) with ((search query) adj results)) and (fish\$1eye)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 17:05
S8	535	((interface gui display\$3) with (fish\$1eye bi\$1focal))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 17:13

EAST Search History

S9	33	((interface gui display\$3) with (fish\$1eye bi\$1focal)) and (degree\$1of\$1interest (degree adj2 interest))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 17:14
S10	23	((interface gui display\$3) with (fish\$1eye bi\$1focal)) and (degree\$1of\$1interest (degree adj2 interest)) and ((quer\$4 search\$3) with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 17:16
S11	0	(fisheye with distort\$4 with (interface gui))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 17:17
S12	6	(fish\$1eye with distort\$4 with (interface gui))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 17:17
S13	0	(bi\$1focal with (interface display gui)) and (siaply\$3 with (search query) with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 17:23